










Pushlock Pushbuttons 22mm/25mm/30mm dia.

	Style	Contact	Type No.	Button Color	Unit price (Baht)
Pushlock Turn Reset	22mm 	1NC 1NO	AVW401-R AVW410-R	R	820.-
	25mm 	1NC 1NO	AVS301N-R AVS310N-R	R	850.-
	30mm 	1NC 1NO	AVN301N-R AVN310N-R	R	870.-

-Price for additional contact, please see accessories section.
 -Specify the button color in place of "R" in Type No.
 -All prices are subjected to change without notice.
 -All prices are excluded 7% VAT.

Illuminated Pushbuttons 22mm/25mm/30mm dia

Style		Input Voltage	Contact	Type No.	Lens Color	Unit Price (baht)
Extended	22mm 	AC220V AC110V	1NO-1NC 1NO-1NC	ALW22611-* ALW21611-*	R,G,A, S,W	970.-
		Direct (No LAMP)	1NO-1NC	ALW29911-*		680.-
	25mm 	AC220V AC110V	1NO-1NC 1NO-1NC	ALS22611N-* ALS21611N-*	R,G,A, S,W,C	990.-
		Direct (No LAMP)	1NO-1NC	ALS29911N-*		720.-
	30mm 	AC220V AC110V	1NO-1NC 1NO-1NC	ALN2611-* ALN1611-*	R,G,S, W,C,O	1,000.-
		Direct (No LAMP)	1NO-1NC	ALN9911-*		740.-
Extended with Half Shroud	25mm 	AC220V AC110V	1NO-1NC 1NO-1NC	ALGS22611N-* ALGS21611N-*	R,G,A, S,W,C	1,220.-
		Direct (No LAMP)	1NO-1NC	ALGS29911N-*		940.-
	30mm 	AC220V AC110V	1NO-1NC 1NO-1NC	ALN2G811-* ALN1G811-*	R,G,S, W,C,O	1,300.-
		Direct (No LAMP)	1NO-1NC	ALN9G911-*		950.-
Extended with Full Shroud	22mm 	AC220V AC110V	1NO-1NC 1NO-1NC	ALFW22611-* ALFW21611-*	R,G,A, S,W,C	1,150.-
		Direct (No LAMP)	1NO-1NC	ALFW29911-*		880.-
	25mm 	AC220V AC110V	1NO-1NC 1NO-1NC	ALFS22611N-* ALFS21611N-*	R,G,A, S,W,C	1,200.-
		Direct (No LAMP)	1NO-1NC	ALFS29911N-*		900.-
	30mm 	AC220V AC110V	1NO-1NC 1NO-1NC	ALN2F611-* ALN1F611-*	R,G,S, W,C,O	1,250.-
		Direct (No LAMP)	1NO-1NC	ALN9F911-*		1,000.-

- Specify the lens color in place of * in Type No.
- An incandescent lamp is contained in transformer type units (AC110,220 & 400V); not contained in direct type units. Order incandescent lamps separately for direct type units.
- All prices are subjected to change without notice.
- All prices are excluded 7% VAT.

Illuminated Pushbuttons 22mm/25mm/30mm dia.

Style		Input Voltage	Contact	Type No.	Lens Color	Unit Price (Baht)
Extended	30mm 	AC220V AC110V	1NO-1NC 1NO-1NC	ALN2811-* ALN1811-*	R,G,S, W,C,O	1,050.-
		Direct (No Lamp)	1NO-1NC	ALNE9911-*		780.-
Extended W/Full Shroud	30mm 	AC220V AC110V	1NO-1NC 1NO-1NC	ALN2F811-* ALN1F811-*	R,G,S, W,C,O	1,340.-
		Direct (No Lamp)	1NO-1NC	ALNE9F911-*		1,060.-
Pushlock Turn Reset	22mm  ø40 Lens	AC220V AC110V	1NO-1NC 1NO-1NC	AVLW42611-R AVLW41611-R	R	1,510.-
		Direct (No Lamp)	1NO-1NC	AVLW49911-R		1,230.-
	25mm  ø35 Lens	AC220V AC110V	1NO-1NC 1NO-1NC	AVLS32611N-R AVLS31611N-R	R	1,540.-
		Direct (No Lamp)	1NO-1NC	AVLS39911N-R		1,300.-
	30mm  ø40 Lens	AC220V AC110V	1NO-1NC 1NO-1NC	AVLN32611N-R AVLN31611N-R	R	1,600.-
		Direct (No Lamp)	1NO-1NC	AVLN39911N-R		1,320.-

Note: PUSHLOCK TURN RESET: Button is maintained when pressed and is reset when turned clockwise. Ideal for emergency stop applications on machines and equipment. Red button only.

- Specify the lens color in place of* in Type No.
- An incandescent lamp is contained in transformer type units (AC110,220 & 400V); not contained in direct type units. Order incandescent lamps separately for direct type units.
- All prices are subjected to change without notice.
- All prices are excluded 7% VAT.

Pilot Lights Incandescent Lamp 22mm/25mm/30mm dia.










Style		Lamp Base	Input Voltage	Type No.	Lens Color	Unit Price (Baht)
Flush (1w)	22mm 	BA9S	AC110V AC220V	APW116-* APW125-*	R,A,G, S,W	350.-
			AC400V	APW146-*		450.-
			Direct (No Lamp)	APW199-*		190.-
Dome (1w)	25mm 	BA9S	AC110V AC220V	APS116N-* APS126N-*	R,A,G, S,W,C	350.-
			AC400V	APS146N-*		450.-
	30mm  Plastic Lens		AC110V AC220V	APN116-* APN126-*		R,G,S, W,C,O
AC400V	APN146-*	680.-				
Direct (No Lamp)	APN199-*	220.-				
Dome (2w)	30mm 	E12	AC110V AC220V	APN118-* APN128-*	R,G,S, W,C,O	550.-
			AC400V	APN148-*		740.-
			Direct (No Lamp)	APNE199-*		270.-
Square Flush	25mm  Marking Type w/Metal Bezel	BA9S	AC110V AC220V	UPQMS1B16N-* UPQMS1B26N	R,A,G, S,W	520.-
			AC400V	UPQMS1B46N-*		720.-
			Direct (No Lamp)	UPQMS1B99N-*		270.-
Rectangular (1W)	30mm 	BA9S	AC110V AC220V	UPQN416-* UPQN426-*	G,R,O S,W	550.-
			AC400V	UPQN446-*		800.-
			Direct (No Lamp)	UPQN499-*		310.-
Rectangular (2W)	30mm 	E12	AC110V AC220V	UPQN418-* UPQN428-*	G,R,O S,W	820.-
			AC400V	UPQN448-*		1,000.-
			Direct (No Lamp)	UPQNE499-*		470.-

- Specify the lens color in place of* in Type No.
- An incandescent lamp is contained in transformer type units (AC110,220 & 400V); not contained in direct type units. Order incandescent lamps separately for direct type units.
- All prices are subjected to change without notice
- All prices are excluded 7% VAT.

Pilot Lights LED Lamp 22mm/25mm/30mm dia.



Style		Lamp Base	Input Voltage	Type No.	Lens Color	Unit Price (Baht)
Flush	22mm 	LED BA9S	AC 110V AC 220V	APW 116D.* APW 126D.*	R,A,G, Y,W	620.-
			AC/DC 24V	APW 122D.*		460.-
Dome	25mm 	LED BA9S	AC 110V AC 220V	APS 116DN.* APS 126DN.*	R,A,G, Y,W	620.-
			AC/DC 24V	APS 122DN.*		460.-
	30mm  Plastic Lens	LED BA9S	AC 110V AC 220V	APN 116DN.* APN 126DN.*	R,A,G, Y,W	745.-
			AC/DC 24V	APN 122DN.*		490.-
		LED E12	AC 110V AC 220V	APNE 116DN.* APNE 126DN.*		820.-
			AC/DC 24V	APNE 122DN.*		540.-

Key Switches 22mm/25mm/30mm dia.

Style	Function	Type No.	Unit Price (Baht)
22mm  2 and 3 position only 2 keys supplied	90° 2-POS.  Maintained	ASW2K11	910.-
	45° 3-POS.  Maintained	ASW3K20	910.-
25mm  2 and 3 position only 2 keys supplied	90° 2-POS.  Maintained	ASS2K11N	925.-
	45° 3-POS.  Maintained	ASS3K20N	925.-
30mm  2 keys supplied	90° 2-POS.  Maintained	ASN3K11	950.-
	45° 3-POS.  Maintained	ASN1K11	950.-













- Specify the lens in place of * in Type No.
- LED lamp is contained in AC adapter type units (AC110&220V); not contained in direct type units. Order LED lamps separately for direct type units.
- Price for additional contact, please see accessories section.
- All prices are subjected to change without notice.
- All prices are excluded 7% VAT.

Selector Switches 22mm/25mm/30mm dia.

Style	Function	Type No.	Unit Price (Baht)
22mm φ22 Series 	90° 2-POS.  Maintained	ASW211	520.-
	90° 2-POS.  Spring Return From Right	ASW2111	580.-
	45° 3-POS.  Maintained	ASW320	520.-
	45° 3-POS.  2-Way Spring Return	ASW3320	580.-
25mm φ25 Series 	90° 2-POS.  Maintained	ASS211N	540.-
	90° 2-POS.  Spring Return From Right	ASS2111N	600.-
	45° 3-POS.  Maintained	ASS320N	540.-
	45° 3-POS.  2-Way Spring Return	ASS3320N	600.-
30mm 	90° 2-POS.  Maintained	ASN311	610.-
	90° 2-POS.  Spring Return From Right	ASN411	650.-
	45° 3-POS.  Maintained	ASN111	610.-
	45° 3-POS.  Spring Return From Left	ASN211	650.-
30mm 	 2-Way Spring Return 55° 3-POS.	ASTN5122	1,300.-

-Price for additional contact, please see accessories section.
 -Operator color: Black, Color insert standard color: White
 -All prices are subjected to change without notice.
 -All prices are excluded to 7% VAT.

Illuminated Selector Switches 22mm/25mm/30mm dia.

Style	Function	Input Voltage	Type No.	Unit Price (Baht)
22mm  	 90° 2-POS. Maintained	110V 220V	ASLW21611-* ASLW22611-*	1,250.-
		Direct (No Lamp)	ASLW29911-*	950.-
	 45° 3-POS. Maintained	110V 220V	ASLW31620-* ASLW32620-*	1,250.-
		Direct (No Lamp)	ASLW39920-*	950.-
25mm  	 90° 2-POS. Maintained	110V 220V	ASLS21611N-* ASLS22611N-*	1,270.-
		Direct (No Lamp)	ASLS29911N-*	970.-
	 45° 3-POS. Maintained	110V 220V	ASLS31620N-* ASLS32620N-*	1,270.-
		Direct (No Lamp)	ASLS39920N-*	970.-
30mm  	 90° 2-POS. Maintained	110V 220V	ASLN21611N-* ASLN22611N-*	1,300.-
		Direct (No Lamp)	ASLN29911N-*	1,000.-
	 45° 3-POS. Maintained	110V 220V	ASLN31620N-* ASLN32620N-*	1,300.-
		Direct (No Lamp)	ASLN39920N-*	1,000.-

-Specify the lens color in place of* in Type No. R: Red, G: Green, A: Amber, S: Blue, W: White

-An incandescent lamp (LS-6) is contained in transformer type units (Ac110, 220 & 400V); not contained in direct type units. Order incandescent lamps (LS) separately for direct type units.

-All prices are subjected to change without notice.




-All prices are excluded 7% VAT.

Accessories 22mm/25mm/30mm dia. (1)

Style	Applicable	Dimensions (mm)	Type No.	Unit Price (baht)	
Pushbutton Clear Boot 	22mm	 18 (Flush) 22 (Extended)	Flush	OC-31	110.-
			Extended	OC-32	110.-
Pushbutton Rubber Boot 	22mm	Metallic bezels covered with a rubber boot to enhance waterproof and slight characteristics. Applicable to flush and extended pushbuttons since a button is contained in the boot. Temperature Range: -5 to +60°C. Specify the color code in place of □. B: Black, R: Red, G: Green, Y: Yellow 		OCW-11*	190.-
Pushbutton Clear Boot 	25mm	 15.5 (Flush) 21.8 (Extended)	Flush	OC-221	110.-
			Extended	OC-222	110.-
Pushbutton Rubber Boot 	25mm	Metallic bezels covered with a rubber boot to enhance waterproof and slight characteristics. Applicable to extended pushbuttons only. Temperature Range: -5 to +60°C. Specify the color code in place of □. B: Black, R: Red, G: Green, Y: Yellow 		OCS-11*	170.-
Pushbutton Clear Boot 	30mm	 18 (Flush) 22 (Extended)	Flush	OC-121	110.-
			Extended	OC-122	110.-
Pushbutton Rubber Boot 	30mm	Metallic bezels covered with a rubber boot to enhance waterproof and slight characteristics. Applicable to extended pushbuttons only. Temperature Range: -5 to +60°C. Specify the color code in place of □. B: Black, R: Red, G: Green, Y: Yellow 		OC-11*	210.-
Buttons 	22mm	Flush	ABW1B-*	25.-	
		Extended	ABW2B-*	50.-	
		Mushroom 35mm	ABW4B-*	120.-	
	25mm	Flush	ABS1B-*	5.-	
		Extended	ABS2B-*	25.-	
		Mushroom 35mm	ABS3B-*	130.-	
	30mm	Flush	ABN1B-*	5.-	
		Extended	ABN2B-*	25.-	
		Mushroom 35mm	ABN3B-*	130.-	
Contact Block 	22mm&25mm	Contact Block NO Contact Block NC	HW-C10 HW-C01	135.-	



- Specify the color code in place of * in Type No. B: Black, R: Red, G: Green, Y: Yellow.
 - All prices are subjected to change without notice.
 - All prices are excluded 7% VAT.

Accessories 22mm/25mm/30mm dia.(2)



Style	Applicable	Dimensions (mm)	Type No.	Unit Price (Baht)	
Contact Block 	30mm	Contact Block NO Contact Block NC	BS-010E BS-001E	160.-	
Contact Block 	AVN AVLN ASLN	Contact Block NO Contact Block NC	BST-010 BST-001	165.-	
Transformer  Full Size	22&25mm	Transformer 110/6.3V	TW-T16	280.-	
		Transformer 220/6.3V	TW-T26	280.-	
		Transformer 400/6.3V	TW-T46	400.-	
Transformer 	30mm	Transformer 110/6.3V	TWR-016	310.-	
		Transformer 220/6.3V	TWR-026	310.-	
		Transformer 400/6.3V	TWR-046	450.-	
Transformer 	30mm	Transformer 110/18V	TWR-018	350.-	
		Transformer 220/18V	TWR-028	350.-	
		Transformer 400/18V	TWR-048	480.-	
Incandescent Lamp 	22,25 & 30mm	Lamp 6.3V, 1W Lamp 18V, 1W Lamp 24V, 1W Lamp 30V, 1W	Base BA9S/13 Base BA9S/13 Base BA9S/13 Base BA9S/13	LS-6 LS-8 LS-2 LS-3	56.-
Incandescent Lamp 	30mm	Lamp 6.3V, 2W Lamp 18V, 2W Lamp 24V, 2W Lamp 30V, 2W	Base E12/15 Base E12/15 Base E12/15 Base E12/15	LE-6 LE-8 LE-2 LE-3	56.-
LED Lamp 	22,25 & 30mm	Lamp 6V AC/DC Lamp 24V AC/DC	Base BA9S/13 Base BA9S/13	LSTD-6* LSTD-2*	270.-
				LSTD-2S LSTD-6S	370.-
LED Lamp 	30mm	Lamp 6V DC Lamp 24V DC	Base E12/15 Base E12/15	LEPD-6* LEPD-2*	270.-

- Specify the color code in place of * in Type No. B: black, R: Red, G: Green, Y: Yellow, S: Blue
 - All prices are subjected to change without notice.
 - All prices are excluded 7% VAT.

AGA Series Rainproof Cast Aluminum Control Boxes









No. of Holes		1	2	3	4	5
Type No.	AGA (Ø 30) AGAW (Ø 22)	AGA211Y AGAW211Y	AGA212Y AGAW212Y	AGA311Y AGAW313Y	AGA411Y AGAW314Y	AGA511Y -
Dimension L(mm)	AGA (Ø 30) AGAW (Ø 22)	150 150	150 150	200 200	300 200	300 -
Dimension M(mm)	AGA (Ø 30) AGAW (Ø 22)	114 114	114 114	164 164	264 164	264 -
Dimension N (mm)		30	30	30	35	35
Weight (Kg.)	AGA (Ø 30) AGAW (Ø 22)	0.74 0.74	0.73 0.73	0.82 0.82	1.23 0.81	1.22 -
Unit Price (Baht)	AGA (Ø 30) AGAW (Ø 22)	2,800.-	2,800.-	3,300.-	4,600.- 3,600.-	5,200.-
<p>TYPES & DIMENSIONS</p> 						

KGN Series Enclosed Type Sheet Steel Control Boxes






No. of Holes		1	2	3	4	5
Type No.	KGN (Ø 30) KGNW (Ø 22)	KGN111Y KGNW111Y	KGN211Y KGNW212Y	KGN311Y KGNW313Y	KGN411Y KGNW314Y	KGN511Y -
Dimension L(mm)	KGN (Ø 30) KGNW (Ø 22)	100 100	150 150	200 200	250 200	300 -
Dimension M(mm)	KGN (Ø 30) KGNW (Ø 22)	50 50	100 100	150 150	200 150	250 -
Weight (Kg.)	KGN (Ø 30) KGNW (Ø 22)	0.31 0.31	0.42 0.42	0.53 0.53	0.64 0.52	0.75 -
Unit Price (Baht)	KGN (Ø 30) KGNW (Ø 22)	600.-	650.-	800.-	950.-	1,100.-
<p>TYPES & DIMENSIONS</p> 						

- All prices are subjected to change without notice.
- All prices are excluded 7% VAT.























AB6 Pushbuttons

Shape	Operation Type	Contact	Type No. (IP40)	Lens Color (Code)	Unit Price (Baht)
AB6M (Round)  	Momentary	SPDT	AB6M-M1*	Black (B) Red (R) Green (G) Yellow (Y) Blue (S) White (W)	430.-
		DPDT	AB6M-M2*		540.-
	Alternate	SPDT	AB6M-A1*		460.-
		DPDT	AB6M-A2*		570.-
AB6Q (Square)  	Momentary	SPDT	AB6Q-M1*		430.-
		DPDT	AB6Q-M2*		540.-
	Alternate	SPDT	AB6Q-A1*		460.-
		DPDT	AB6Q-A2*		570.-
AB6H (Rectangular)  	Momentary	SPDT	AB6H-M1*	430.-	
		DPDT	AB6H-M2*	540.-	
	Alternate	SPDT	AB6H-A1*	460.-	
		DPDT	AB6H-A2*	570.-	
AB6M-V  	Pushlock Turn Reset	SPDT	AB6M-V1R	Red (R)	850.-
		DPDT	AB6M-V2R	950.-	

AS6 Selector Switches










Shape	Position	Contact	Type No. (IP40)	Remarks	Unit Price (Baht)
AS6M-2Y/AS6M-3Y (Round) 	 90° 2-Position Maintained	SPDT	AS6M-2Y1	Bezel Color : Black Operator Color :Black	800.-
		DPDT	AS6M-2Y2		910.-
	 45° 3-Position Maintained	DPDT	AS6M-3Y2		910.-
AS6Q-2Y/AS6Q-3Y (Square) 		 90° 2-Position Maintained	SPDT		AS6Q-2Y1
	DPDT		AS6Q-2Y2		910.-
	 45° 3-Position Maintained	DPDT	AS6Q-3Y2		910.-
AS6H-2Y/AS6H-3Y (Rectangular) 		 90° 2-Position Maintained	SPDT	AS6H-2Y1	800.-
	DPDT		AS6H-2Y2	910.-	
	 45° 3-Position Maintained	DPDT	AS6H-3Y2	910.-	

Contact Operation


Operator Position & Contact Operation (Top View)					
Positions		Contact	Left	Center	Right
90°2-position  Maintained  Spring return from right		SPDT		—	
		DPDT		—	
45°3-position  Maintained  Spring return from right  Spring return from left  Spring return two-way		DPDT			
					
					
					

- Specify the button color in place of * in Type No.
- All prices are subjected change without notice.
- All prices are excluded 7% VAT.


AS6-K Keylock Switches

Shape	Position	Contact	Type No. (IP40)	Remarks	Unit Price (Baht)
	 90° 2-Position Maintained	SPDT	AS6M-2KT1A	Key is removable at any positions.	1,000.-
		DPDT	AS6M-2KT2A		1,110.-
	 45° 3-Position Maintained	DPDT	AS6M-3KT2A		1,110.-
		 90° 2-Position Maintained	SPDT		AS6Q-2KT1A
	DPDT		AS6Q-2KT2A		1,110.-
	 45° 3-Position Maintained	DPDT	AS6Q-3KT2A		1,110.-
		 90° 2-Position Maintained	SPDT		AS6H-2KT1A
	DPDT		AS6H-2KT2A		1,110.-
	 45° 3-Position Maintained	DPDT	AS6H-3KT2A		1,110.-

UZ6 Buzzer Units

Shape	Operating Voltage	Type No.	Rated Sound Pressure & Freq.	Sound Duration	Unit Price (Baht)
	6V DC +-10% 36mA	UZ6-16	75dB (at 1M) (at the rated voltage) 35.5kHz+800Hz	Continuous	800.-
	12V DC +-10% 24mA	UZ6-11			
	24V DC +-10% 24mA	UZ6-12			

UZ6 Flicker Unit (Option)




Shape	Operating Voltage	Type No.	Flickering Cycle	Applicable Buzzer Unit	Unit Price (Baht)
 (M3 Screw Terminal)	12/24V DC+-10% 4 to 6mA	UZ6-F10	Intermittent sound 30 to 800 cycles per minute	UZ6-11 UZ6-12	700.-

- All prices are subjected to change without notice.
- All Prices are excluded 7% VAT>

Accessories for 16mm dia. A Series

Name & Shape	Specification	Type No.	Remarks	Unit Price (Baht)
	Made of Metal	MT - 001	-Used for tightening the plastic locking ring when installing the 16mm A series unit on panel. - Tightening torque should not exceed 9kgf-cm when tightening a locking ring	200.-
	Made of Metal	MT - 101	- Used for removing the lens or button from the housing	35.-
	Made of rubber	OR - 77	- Used for replacing LED or incandescent lamps installed in illuminated pushbuttons and pilot lights.	40.-
	For round and square units	AL - K6S	- Used for preventing inadvertent operation of the button	110.-
	For rectangular units	AL - KH6S	- Switch guard is spring return and can open 180 degree	
	Solder Terminals	AL - C6	- Snap onto the rear of A series units.	160.-
	PCB Terminals	AL - C6V		
	Made of translucent nylon	AL - V6	- When wiring the terminals, insert the lead wires into the terminal cover holes before soldering.	25.-
	Made of nitrile rubber	AL - B6	- Degree of protection : IP65	400.- (Pack of 10)
	Made of metal	AL - BM6		195.-

LED Lamps

Operating Voltage	Current Draw		Type No.	Ordering Type No.	②Illumination Type No.	Unit Price (Baht)
	AC	DC				
5V DC±5% 	-	8 mA	LATD-5②	LATD-5② LATD-5②PN10	Specify a color code in place of ② in the Ordering Type No. A : amber G : green R : red S : blue W : white Y : yellow	2,200.- (Pack of 10)
12V AC/DC±10% 	9 mA	8 mA	LATD-1②	LATD-1② LATD-1②PN10		
24V AC/DC±10% 	9 mA	8 mA	LATD-2②	LATD-2② LATD-2②PN10		

- All prices are subjected to change without notice.
- All prices are excluded 7% VAT.

AP Series Miniature Pilot Lights (LED)

Shape	Type	Operation Voltage	Type No. Solder Terminal	Lens Color (Code)	Price/Pack (Baht)
AP6 Series(ø16)  Dome Flat	Dome	6V DC 12V DC 24V DC	AP6M266-*NP AP6M211-*NP AP6M222-*NP	Red (R) Green (G) Yellow (Y) Amber (A) White (W)	3,800.- (Pack of 10 pcs)
	Flat	6V DC 12V DC 24V DC	AP6M166-*NP AP6M111-*NP AP6M122-*NP		
AP2 Series(ø12)  Dome Flat	Dome	6V DC 12V DC 24V DC	AP2M266-*NP AP2M211-*NP AP2M222-*NP		3,800.- (Pack of 10 pcs)
	Flat	6V DC 12V DC 24V DC	AP2M166-*NP AP2M111-*NP AP2M122-*NP		
AP1 Series(ø10)  Dome Flat	Dome	6V DC 12V DC 24V DC	AP1M266-*NP AP1M211-*NP AP1M222-*NP		2,800.- (Pack of 10 pcs)
	Flat	6V DC 12V DC 24V DC	AP1M166-*NP AP1M111-*NP AP1M122-*NP		
AP8 Series(ø8)  Dome Flat	Dome	6V DC 12V DC 24V DC	AP8M266-*NP AP8M211-*NP AP8M222-*NP		2,800.- (Pack of 10 pcs)
	Flat	6V DC 12V DC 24V DC	AP8M166-*NP AP8M111-*NP AP8M122-*NP		

Accessories

Unit Type	Operatio Voltage	Type No.	Applicable Pilot Light	Unit Price (Baht)
AC Adaptor	100/110V AC 220V AC	AP6-016D AP6-026D	AP6M266-* AP6M166-*	800.-
DC-DC Converter	110V DC (90 to 140V DC)	AP6-016DD		1,300.-
Flasher	12/24V DC (Complete DC)	UZ6-F10	AP6M211-* AP6M222-* AP6M111-* AP6M122-*	700.-
AC Adaptor	100/110V AC 220V AC	AP2-016D AP2-026D	AP2M266-* AP2M166-*	800.-
DC-DC Converter	110V DC (90 to 140V DC)	AP2-016DD		1,300.-

- Specify the lens color code in place of * in Type No. an LED lamp is contained.
 - All prices are subjected to change without notice.
 - All prices are excluded 7% VAT.